

General Index

A

- Abra*, 31–32
Abramis brama, 37
brama bergi, 216
Accipiter cooperii, 139
striatus, 139
Achnanthes exigua, 98
longipes, 98
Acnida cannabina, 182
Acrolein, 282–284
Actinastrium hantzschii, 99
Actinopterygus splendens, 98
taeniatus, 98
Agricultural drought, 72
Aquila chrysaetos, 138
Algae, 92
blue-green, 90–93
Alosa sapidissima, 131
American eel, 49
lobster, 183
temperature acclimation, 17
shad, 131, 135
Ammophila breviflorata, 126
Amphidinium sp., 99
Amphiphora, 248
Amphiprora alata, 98
gigantea, 98
ornata, 98
paludosa, 98
Amphora acutiuscula, 98
proteoides, 98
sp., 98
Anabanea sp., 90–91, 92
torulosa, 90, 91, 93
Anchoa hepsetus, 186
mitchilli, 186
Ancylopsis quadrellata, 115, 186
Andropogon virginicus, 127
Anguilla rostrata, 49
Ankistrodesmus falcatus, 90, 99
nannoselene, 90, 99
Anorthoneis humilis, 98
Apeltes quadracus, 165
Aptesis sp., 41
Arachon, 2
Artemia, 19, 60
Arthrospira jenneri, 99
Atlantic menhaden, 114–115, 183,
 276–278
larvae, 185
Atlantic tomcod, 49
Asterionella formosa, 98
japonica, 90, 98, 145–147, 149,
 252

B

- Baccharis*, 127–128
halimifolia, 126, 182
Bacteria, 179
Bacteriastrium delicatulum, 98,
 146–147
Balanoids, 62
Balanus eburneus, 283
Bald eagle, 139, 140
Barnacle, 282–284

- Bay whiff, 115
Bellerchea malleus, 147
 Bender, M. E., R. J. Huggett, & H. D.
 Slone, 280–282
Betta splendens, 222
Biddulphia, 248
alternans, 98
aurita, 98
mobiliensis, 98
regia, 98
rhombus, 98
sinensis, 98
Bipedinomonas pyriformis, 99
Bivalve, postmetamorphol. 26–32
Bivalve temperature tolerance, 195,
 198, 200
Black ruff, 185
Blue crab, 1–9, 11–12, 14, 16–17,
 119, 183–184
blood, osmotic concentration,
 15–17
effects of fluoride on, 2–3, 5,
 11–12
fluoride accumulation, 4, 6–10
freezing, 119
growth, 2, 4–6, 11–12
osmoregulation, 14, 17
temperature acclimation, 17
thermal tolerance, 17
Bluegill, 49
Blue-green algae, 90–93
 Boon, D. D. & M. C. Tatro, 51–52
Borrchia, 127–129
frutescens, 126, 182
Bothus sp. 186
Brachiodontes recurvus, 201
Brevoortia tyrannus, 114, 185
Broad-winged hawk, 138–140
 Burchard, R. P., 179–180
 Burnett, J. W., 67–71, 225–230
Buteo platypterus, 139
jamaicensis, 139
lineatus, 139
lagopus, 138

C

- Callinectes*, 53–58, 60
danae, 58
ornatus, 58
sapidus, 1, 14, 53–58, 60, 119,
 183
megalopae, 54–58, 60
-zoal stage, 54–55
 See also *Blue crab*
similis, 58
 See also *Callinectes ornatus*
Caranx hippos, 49
Carbon, 179
Codium edule, 31
 Carpenter, E. J., 85–95, 104
Carteria sp., 90
Carya, 128–129
Caspialosa volgensis, 37

- Castagna*, M. & P. Chanley, 167–172
Centrolophus niger, 185
Cerataulina, 152
bergonii, 148–149, 152
Ceratium, 144, 150–154
arctium, 144–146, 148–150,
 152–154
bucephalum, 145
furca, 145–146
fusus, 99, 144–149, 152–154
lineatum, 145–146, 148–149,
 152
macroceros, 145–149
tripos, 144–149, 152–154
Ceratulina bergonii, 98
Chaetoceros, 150–154, 248
affinis, 98, 145–148, 150
atlanticus, 145–146, 148–149
borealis, 146–148
borgei, 98
coarctatus, 147, 151
compressus, 145–151, 154
conchicornis, 145–147
convolutus, 147, 149
curvisetus, 98
daricus, 148
debile, 98, 149
deciptens, 98, 145–149, 151
densus, 145–149, 151
didymus, 98, 145–149
eibonii, 145–149
gracilis, 98
laciniosum, 98, 145–148, 150
lorenzianus, 147
peruvianus, 147
pseudocurvisetus, 146–147
radicans, 149
rostratus, 146–147
similis, 148
simplex, 98
sp., 90
subsecundus, 98
subtilis, 98, 145
teres, 98
wighamii, 98
 Chanley, P., & M. Castagna, 167–172
Chasmodes bosquianus, 165
 Chittenden, M. E., Jr., 131–136
Chlamydomonas sp., 99
Chlorophyll a, 45–46, 106, 243,
 247–248
Chlorophyta, 90
Chlorophyte, 89, 97
Chroococcus sp., 99
Chrysaora, 70, 229
quinquecirrha, 67, 70, 225, 229
Chrysophyta, 90
Circus cyaneus, 139
Citharichthys abietii, 115
spilopterus, 115
Clam, 26, 28, 32, 87
coot, 193, 195
false angel wing, 31
gem, 193–196, 201
razor, 30, 31

- soft-shell, 157, 193, 197-198, 201-202
 southern surf, 31
 stout razor, 167
 eggs, 167-168
 larvae, 168-172
Climacodium frauenfeldianum, 146, 147, 150-151
Cocconeis disculoides, 98
 scutellum, 90
 sp., 98
Conger oceanus, 186
 Cooper's hawk, 139, 140
 Coot clam, 193, 195
Corethron criophilum, 98, 147-148
Coscinodiscus antiquus, 98
 asteromphalus, 149
 concinus, 147
 gravidus, 98
 lineatus, 98
 marginatus, 147
 perforatus, 98
 plicatus, 98
 sp., 90, 98, 145-149, 151, 154
Coscinosira polychorda, 147-149
Cosmarium, sp., 99
 Crab, blue
 See blue crab
 fiddler, 180-181
Crangon septemspinosa, 50
Crassostrea virginica, 51, 173, 231
 Crevalle jack, 49
Crucigenia crucifera, 99
 fenestrata, 99
 sp., 90
 Crustaceans
 American Lobster, 183
 blue crab, 1-9, 11-12, 14, 16-17, 119, 183-184
 fiddler crab, 180-181
 lobsters, 201
 shrimp, 50
Cryptomonad sp., 99
Cryptomonas ovata, 99
 sp., 90
 Cryptophyta, 90
Cyanea capillata, 67-68, 70
 Cyanophyta, 90
Cyclotella kutzingiana, 98
 meneghiniana, 98
 sp., 90-91
 striata, 98
Cylindrotheca closterium, 89-91, 98
 See also *Nitzschia Closterium*
Cymatosira belgica, 98
Cyprinodon variegatus, 219
- D**
- Dactylosolen mediterraneus*, 148
 Dahlberg, M. D., 282-284
 Darter, tessellated, 254
 Davis, R. A., 111-114
Denticula sp., 98
Desulfovibrio, 180
 Diatom, 89-91, 97, 100-101, 104, 144-154
Dictyocha fibula, 145, 147, 149
 speculum, 145-148
Dictyosphaerium sp., 99
Dimerogramma minor, 98
 rostratum, 98
 sp., 98
- Dimorphococcus* sp., 99
Dinobryon sertularia, 99
 Dinoflagellate, 89-90, 97, 101, 104
 145-150, 152-154
Dinophysis sp., 145, 149
Diploneis bombus, 98
 crabro, 98
 elliptica, 98
 smithii, 98
 sp., 90
Distichtis, 127-129
 spicata, 181-182
Ditylum brightwellii, 98, 146-149
Donax, 31, 32
 variabilis, 26-30, 172
 Dovel, W. L., & J. R. Edmunds, IV., 33-39
 Drought, 72, 82
 agricultural, 72
 hydrologic, 72
 meteorological, 72
 snow, 72
 Dryfoos, R. L., G. R. Huntsman, & R. L. Kroger, 114-115
Dunaliella tertiolecta, 122
Dysidea crawshayi, 2
- E**
- Eagle, bald, 139-140
 Ectoprocts, 62
 Edmunds, J. R., IV., & W. L. Dovel, 33-39
 Eel, American, 49
 Eggs, striped bass, 33-39
Elops saurus, 186, 275-276
Ensis directus, 26, 28-31
Epitalus dilatatus, 18, 25
 Epifauna, 62
Ericymba baccata, 216
Etheostoma nigrum, 260-261
 eulepis, 261
 nigrum, 261
 olmstedii, 254, 256, 258-259
 atromaculatum, 254-260, 262
 maculiceps, 254
 olmstedii, 254-260, 262
 vexillare, 254
Eucampia zoodiacus, 146, 148
Euceros sp., 41
 Euglenophyta, 90
Eunotogramma marinum, 98
 rostratum, 98
Eutrepia sp., 90
 Eutrophication, 85-86, 93
Exuviaella compressa, 99
- F**
- Falco columbarius*, 138
 peregrinus, 139
 sparverius, 139
 Falcon, peregrine, 139-140
 False angel wing clam, 31
 Fathead minnow, 274
 Fiddler crab, 180-181
Fimbristylis castanea, 126-128, 182
 Fish, American eel, 49
 American shad, 131, 135
 Atlantic menhaden, 114-115, 183, 276-278
 Atlantic tomcod, 49
 Bay whiff, 115
 behavior, *Gambusia affinis*, male-female interactions, 220-221
 male-male interactions, 222
 male motor patterns, 220
 black ruff, 185
 bluegill, 49
 crevalle jack, 49
 egg
 striped bass, 33-39
 fathead minnow, 274
 fecundity
 yellow perch, 270-273
 flounder, 115
 goby, 161, 164-165
 golden shiner, 49
 ladyfish, 275
 larvae
 Atlantic menhaden, 185
 pinfish, 186-187
 spot, 186-187
 striped bass, 33-39
 mummichog, 49
 pinfish, 186
 Poeciliids, 219
 production, 111, 113
 spot, 186
 striped bass, 33-39, 131-135
 tessellated darter, 254
 tile fish, 49
 white perch, 133, 205, 208-209
 yellow perch, 270-273
 Flemer, D. A., & J. Olmon, 105-110
 & R. B. Biggs, 45-47
 Flounder, 115
 Fluorescence, 45-47
 Fluoride accumulation
 blue crab, 4, 6-10
 Fluoride effect
 on blue crab, 2-3, 5, 11-12
Fragilaria construens, 98
 crotonensis, 98
 investiens, 98
 sp., 149
 Frame, D. W., & J. A. McCann, 62-66
Fundulus majalis, 186
 diaphanus, 49
 heteroclitus, 49, 219
- G**
- Gambusia*, 223
 affinis, 219, 223
 male-female interaction, 220-221
 male-male interaction, 222
 male motor patterns, 220
 hurtadoi, 223
Gammarus oceanicus, 50
 Gem clam, 193-196, 201
Gemma, 201, 202
 gemma, 193-197, 199-200
 Genys, J. B., 188-191, 264-269
 Gibson, G. R., Jr., & C. F. Tsai, 270-274
Giobionellus sp., 186
Glenodinium foliaceum, 90
 Goby, 161, 164-165
 common, 161
Gobiosox strumosus, 165
Gobiosoma bosci, 165
 ginsburgi, 165, 186
 robustum, 165

- Gobius cobitis*, 164
thalassinus, 156
 Golden shiner, 49
Gomphosphaeria sp., 99
Goniulax tamarensis, 154
 Growth
 blue crab, 2-4, 5-6, 11-12
Guinardia, 152
flaccida, 98, 145-150, 152-154
 Gull
 ring-billed, 188
 feeding habits, 188
 Guthrie, J. R., & R. L. Kroger,
 276-278
Gymnodinium, 248
breve, 154
nelsoni, 90
 sp., 99
Gyrodinium aureolum, 89-90
dominans, 99
Gyrodinium
esturiale, 89-90, 99
glabrum, 99
metum, 99
pellucidum, 99
Gyrosigma, 248
balticum, 147
fasciola, 90, 98
sebigerii, 98
peisonis, 98
spencerii, 98
- H**
- Hackman, C. D., & C. J. Henny,
 137-141
 Haefner, P. A., 50-51, 183-184
Haliaeetus leucocephalus, 139
Halodule beaudettei, 27
 Hammerstrom, R. J., & B. E.
 Huntley, 231-239
 Harman, D. M., 40-44
 Hawk, 137-138, 140
 broad-winged, 138-140
 Cooper's, 139-140
 marsh, 138-140
 red-shouldered, 138-139
 red-tailed, 138-140
 sharp-shinned, 139-140
 sparrow, 138-140
Hemiaulus sinensis, 98
 sp., 98
Hemiselmis sp., 99
 Henny, C. J., & C. D. Hackman,
 137-141
 Hershfield, D. M., 72-84
Hexapanopeus angustifrons, 57,
 59-60
 megalopae, 57, 59
 Hidu, H., & F. P. Veitch, 173-178
 Hoff, J. G., 49
Homarus americanus, 17
 Huggett, R. J., M. E. Bender & H. D.
 Stone, 280-282
 Huntley, B. E., & R. J.
 Hammerstrom, 231-239
 Huntsman, G. R., R. L. Dryfoos & R.
 L. Kroger, 114-115
Hyalodiscus stelliger, 98
Hyas araneus, 18
coarctatus, 18
 Hydrologic drought, 72
Hyporhamphus sp., 186
- I**
- Ictalurus nebulosus*, 111
punctatus, 111
Insigies, 188
Isochrysis galbana, 168
 Itzkowitz, M., 219-224
Iva, 127-129
frutescens, 126-182
- J**
- Juncus*, 127
effusus, 127
roemerianus, 182, 241
Juniperus, 129
virginiana, 127
- K**
- Katodinium*, 248
rotundatum, 89-90, 99
 Kennedy, V. S., & J. A. Mihursky,
 193-204
 Kerwin, J. A., 180-183
 & R. A. Pedigo, 125-130
 Kroger, R. L., & J. R. Guthrie,
 276-278
 R. L. Dryfoos & G. R. Huntsman,
 114-115
- L**
- Ladyfish, 275
Laevicardium mortoni, 26, 172
Lagodon rhomboides, 185
 Larch sawfly, 40-44
 cocoon, 40-44
 larvae, 40-44
 mortality, 40-44
Larus delawarensis, 188
 Larvae,
 larch sawfly, 40-44
 mudworm, 121-123
 oysters, 177
 pinfish, 186-187
 spot, 186-187
 Larval development
 Majidae, 18
 Larval molting,
 Libinia dubia, 18-25
Lauderia borealis, 147, 148
 Leck, C. F., 188
Leiostomus xanthurus, 185
Lepomis gibbosus, 111
macrochirus, 49, 111
Leptocylindrus danicus, 90, 98, 146,
 148
 minimus, 90, 98
 Lethal temperature, 193-194,
 196-200
 ribbed mussel, 200
 Lewis, R. M., & E. P. H. Wilkens,
 115-116, 185-187
Libidoclaea granaria, 18
Libinia dubia, 18-25
 larval molting, 24
 megalopae, 22-24
 zoa, 19-22
Libinia spinosa, 18, 25
Licmophora sp., 98, 248
Licmophora abbreviata, 146
Lileopsis chinensis, 182
Lima scabra, 200
Limonium, 127-219
carolinianum, 126-128
- M**
- Lobsters, 201
 American, 183
 Loblolly pine, 191
Lopholatilus chamaeleonticeps, 49
Lucania parva, 219
Lucioperca lucioperca, 37, 216
Lythrum lineare, 182
- M**
- Macoma*, 31, 157, 198-199, 202
baltica, 31, 193, 195-202
fusca, 199
phenax, 193, 195-197, 199, 201
 Majidae
 larval development, 18
 Marsh, 125-126, 128, 182
 hawk, 138-140
 plant associations, 127
 McCann, J. A., and D. W. Frame
 62-66
 Megalopae
 Callinectes sapidus, 54-58, 60
 Hexapanopeus angustifrons, 57,
 59
 Libinia dubia, 19, 22-24
 Rhithropanopeus harrissi, 59-60
Melosira borrii, 148
 distans, 98
Meredion circulare, 98
granulata, 98, 145-146, 150
islandica, 98
moniliformis, 90, 98
sulcata, 98, 146, 148-149
 varians, 98
 Menhaden, Atlantic, 114-115, 183
Menidia menidia, 186
Mercenaria mercenaria, 28, 193
 Mercury, 280-282
Meredion circulare, 98
Merismopedia, sp., 99
 Meroplankton, 26, 53, 60
Mesoleius tenthrredinis, 41, 43
 Meteorological drought, 72
Microcionia, 162-163
 prolifera, 157
Microgadus tomcod, 49
Microgobius, 156
 eulepis, 156-160
 gulosus, 165
 holmesii, 156, 162, 164
 thalassinus, 156-162, 164-165
Micropogon undulatus, 186
Microphrys bicornutus, 18
Micropterus salmoides, 111
 Mihursky, J. A., and V. S. Kennedy,
 193-204
 Minnow, fathead, 274
Mithrax forceps, 18
Modiolus demissus, 193, 200
Molida, 162-163
 complanata, 62-65
 manhattensis, 157, 161
Monochrysis lutheri, 168
 Moore, D. J., 1-13
Morone americana, 133, 205
 saxatilis, 33-39
 Mudworm, 121
 larvae, 121-123
Mugil cephalus, 186
 Mulford, R. A., and J. J. Norcross,
 142-155
Mulina, 157
 lateralis, 193, 195-202

- Mummichog, 49
 Mussels, 62
 ribbed, 198, 200
Mya, 194–195, 197–202
 arenaria, 31, 157, 193–201
Myrica, 129
 cerifera, 127
Myrophis punctatus, 186
Mytilus edulis, 31
- N
- Nantucket pine tip moth, 265, 266
Navicula abunda, 98
 agnita, 98
 meniscoides, 98
 minima, 98
 salinarum, 98
Navicula sp., 90, 98
Nephrochloris salina, 99
Nitrobacter, 179
 Nitrogen, 88, 91–93, 179, 243,
 245–247, 251–252
Nitrosomonas, 179
Nitzschia, 152, 248
 adducta, 98
 closterium, 145, 147–148
 compressa, 98
 delicatissima, 98
 dissipata, 98
 hummi, 98
 laevis, 98
 longa, 98
 panduriformis, 98
 paradoxa, 145, 146, 150
 pungens atlantica, 145–149, 152,
 154
 seriata, 90, 98
 sigma, 98
 sp., 99
 tryblionella, 98
 vermicularis, 98
 Noble, R. L., 47–48
 Norcross, J. J., and R. A. Mulford,
 142–155
Notemigonus crysoleucas, 49, 111
- O
- Olisthodiscus* sp., 90, 99
 Olmon, J., and D. A. Flemer,
 105–110
Ostrea edulis, 173
Oscillatoria sp., 90, 91, 99
 tenuis, 99
 Osmoregulation
 blue crab, 14, 17
 Osprey, 138–139, 278–280
Orthopristis chrysoptera, 186
 Orth, R. J., 121–124
Oncorhynchus keta, 37
Opeophora pacifica, 99
 Oysters, 51, 52, 87, 93, 157,
 162–163, 173–174, 231,
 233–234, 236, 268
 Oyster beds, 157, 161
 Oyster
 depuration, 231–232, 234, 237,
 239
 gregarious setting, 173
 larvae, 177
 shell liquor, 173–175, 177–178
- P
- Pandion haliaetus*, 139, 278
Pandorina morum, 99
Panicum virgatum, 127
 Paparella, M. W., and M. D. Tatro,
 119–120
Parachrysidalis estuariale, 99
Paralichthys albigutta, 115, 186
 dentatus, 115, 186
 lethostigma, 115, 186
Paspalum sp., 182
Pediastrum duplex, 99
 Pedigo, R. A., and J. A. Kerwin,
 125–130
Perca flavescens, 47, 270
 Perch, white, 133, 205, 209–209
Peridiniopsis sp., 90
 rotunda, 99
 triquetrum, 90, 99
Peridinium, 248
 oceanicum, 146–147, 149
 trochoideum, 89–90, 99
 Peregrine falcon, 139–140
Petricola, 31, 32
 pholadiformis, 29, 31
Phaeodactylum tricornutum, 252
 Phosphorus, 85–86, 88, 91–93, 180,
 243, 245–246, 251–252
 Photosynthesis, 105–106, 109,
 250–251
 Phytoplankton, 86–93, 95–97, 109,
 142–143, 150–154, 240,
 243, 245, 249, 251–252
 primary productivity, 105, 106
 production, 240–241, 243, 248,
 250, 251
 seasonal succession, 95, 98
 species diversity, 95–96,
 102–104, 150
 standing crop, 95, 97, 105, 247
Pimephales promelas, 274
 Pine
 loblolly, 191
 sand, 188–189
 Scotch, 264–266
 mortality, 265
 varieties, 264–268
 Virginia, 188–190
 Pinfish, 186
 larvae, 186, 187
Pinus, 188, 189
 clausa, 188–189
 elliottii, 188
 elliottii, 188
 sylvestris, 264, 267
 aquitana, 264–268
 borussica, 264–268
 hercynica, 264–265
 septentrionalis, 264–269
 taeda, 127, 129
 virginiana, 188–190
 x *clausa*, 188–191
Pisoides edwardsi, 18
Placopecten magellanicus, 193, 200
Plagiogramma pygmaeum, 99
Pleurosigma aestuarii, 99
 angulatum, 90, 145–149
Pluchea purpurascens, 182
 Poeciliids, 219
Polydora ligni, 121–123
Polykrikos hartmanii, 90
- P
- Pomatopus saltatrix*, 186
Pomatochastus, 161
Pomoxis annularis, 111
 nigromaculatus, 111
 Porter, H. J., and A. B. Williams,
 26–32
Portunus, 54
Preprilus triacanthus, 186
Prionotus carolinus, 186
 Primary production, 243
Pristiphora erichsonii, 40–44
Procoentrum, 248
 dentatum, 147
 micans, 99, 146, 149
 minimum, 89–90, 99
Prymnesium parvum, 99
Prymnesium sp., 90
Pseudonitzschia seriata, 146, 149
Pseudopedinella pyriforme, 99
Pseudopedinella sp., 90
Pyramimonas, 90
 amyliifera, 90, 99
 grossii, 99
 nanella, 99
 obovata, 99
 plurioculata, 99
 sp., 89–99
 Pyrrophyta, 90
- Q
- Quercus*, 128–129
- R
- Rana pipiens*, 2
 Razor clam, 30–31
 Red-shouldered hawk, 138–139
 Red-tailed hawk, 138–140
Rhaphoneis amphicerus, 99
 belgica, 99
 surirella, 99
Rhithropanopeus harrisi, 58–60
 megalopae, 59–60
 zoeae, 58–59
Rhizosolenia, 150–152, 154
 alata, 99, 144–151
 calcar avis, 99, 146–148,
 150–151
 delicatula, 147
 fragilissima, 99, 148
 hebetata var. *semispina*, 99
 imbricata, 99, 145–151
 robusta, 99
 setigera, 90, 99, 145–152, 154
 stolterfathii, 99, 145
 styliformis, 145, 149
Rhodomonas amphioxiea, 90, 99
 minuta, 90, 99
Rhus radicans, 127
 Ribbed mussel, 198, 200
 lethal temperature, 200
 Ring-billed gull, 188
 feeding habits, 188
Rissola marginata, 186
Rosa palustris, 127
Ruppia maritima, 126
Ryaconia frustrana, 265
- S
- Salicornea*, 127–129
 europa, 126–128

- Salmo gairdneri*, 111
trutta, 111
 Salt marsh, 125–126, 129–130, 182
Salvelinus fontinalis, 111
 x *Salmo trutta*, 111
 Sandifer, P. A., & W. A. Van Engel, 18–25
 Sand pine, 188–189
 Scallop, sea, 200
Scenedesmus acuminatus, 99
 denticulatus, 99
 quadracaudata, 99
 opoliensis, 99
 producto-capitatus, 99
 Schiemer, E. W., & J. R. Schubel, 116–118
 Schmidt, R. E., & S. J. Wilk, 185
Schroderella delicatula, 146–148
 Schwartz, F. J., 156–166
 Schubel, J. R., & E. W. Schiemer, 116–118
Scirpus robustus, 181
Scophthalmus aquosus, 186
 Scotch pine, 264–266
 mortality, 265
 varieties, 264–265
 Sea nettle, 67, 225
 nematocyst, 67–70, 225–228
 nematocytes, 67, 69–70, 225, 229
 polyps, 225, 229
 Sea scallop, 200
 mortality, 199
 temperature tolerance, 198
 Sekavec, G. B., 275–276
Sesarma cinereum, 182
 Sewage
 artificial, 87–88
 Shad
 American, 131, 135
 Sharp-shinned hawk, 139–140
 Shrimp, 50
 Silicoflagellates, 145–151
Skeletonema, 151
 costatum, 90–91, 99, 145–148, 248
 tropicum, 99
 Slone, H. D., M. E. Bender & R. J. Huggett, 280–282
 Snow drought, 72
Solemya, 31
 velum, 26, 28–30
 parkinsoni, 26
 Solen, 31
 viridis, 28, 30
Solenomya velum, See *Solemya velum*
 Soft-shell clams, 157, 193, 197–198, 201–202
Solidago sempervirens, 126
 Southern surf clam, 31
 Sparrow hawk, 138–140
Spartina, 125, 252
 alterniflora, 127–130, 181–182, 241, 252
 cynosuroides, 182
 patens, 127–130, 181–182
Spherooides maculatus, 49
Spirulina major, 99
 sp., 90, 92, 99
Spisula, 31–32
 raveneli, 29, 31
 solidissima, 30, 32
 Spot, 186
 larvae, 186–187
 Striped bass, 33–39, 131–135
 egg occurrence, 33–39
 eggs, 33–39
 survival, 36–39
 suspension, 36
 transport, 37–38
 larvae, 33–38
 spawning
 activity, 33
 area, 33–35, 38
 ground, 131, 135
Stephanophyxis turris, 147–148
Stizostedion vitreum vitreum, 47
 Stout razor clam, 167
 eggs, 167–168
 larvae, 168–172
 Sulfur, 179
Symphurus plagiusa, 186
Synedra gallionii, 99
 minuscula, 99
 tabulata, 99
 sp., 90, 99
 ulna, 99
Syngnathus floridae, 186
 fuscus, 186
 louisianae, 186
Synodus foetens, 186

 T
Tabellaria fenestrata, 99
 Tagatz, M. E., 14–17
Tagelus, 31
 agilis, 172
 californianus, 167
 divisus, 26, 28–31, 167
 plebeius, 167–172
 Tamarack, 40
 Tatso, M. C., & D. D. Boon, 51–52
 & M. W. Paparella, 119–120
Tellina, 31–32
 Tessellated darter, 254
 Temperature
 acclimation, 194–197, 200
 American lobster, 17
 blue crab, 17
 lethal, 193–194, 196–200
 seasonal cycle, 244, 248
 tolerance, 194, 196, 199–202
 sea scallop, 198
Thalassionema nitzschiodes, 99, 145–149
Thalassiosira decipiens, 99
 fluvialis, 99
 nana, 90, 99
 nordenskioldii, 148
 rotula, 99, 146
 subtilis, 147
Thalassiothrix delicatula, 147
 frauenfeldii, 99, 145
 Thayer, G. W., 240–253
Thiobacillus, 180
 denitrificans, 179–180
 Thermal addition, 202
 Thermal tolerance
 bivalve, 195–200
 blue crab, 17
 Tile fish, 49
 Tomcod, Atlantic, 49
Trichodesmium sp. 99
Tritneptis klugii, 41, 43
 Tsai, C. -F., 274–275
 & G. R. Gibson, Jr., 270–274
Tubularia, 65
 Tunicates, 62
 Turbidity, 244

 U
Uca, 53
 minax, 180–183
 pugillator, 180–183
 pugnax, 180–183

 V
 Van Engel, W. A., & P. A. Sandifer, 18–25
 Veitch, F. P., & H. Hidu, 173–178
 Virginia pine, 188–190
 x sand pine, 188, 191

 W
 Wallace, D. C., 205–218
 White perch, 133, 205, 208–209
 age, 211, 216–217
 gear size selectivity, 208, 218
 growth, 211–218
 longevity, 214
 scale annulus, 206–207, 215–218
 scale-body length relationship, 207–208, 218
 year class, 208, 210–211, 216
 young-of-the-year, 206, 208, 210, 212, 214, 218
 Wiemeyer, S. N., 278–280
 Wilkens, E. P. H., & R. M. Lewis, 115–116, 185–187
 Wilk, S. J., & R. E. Schmidt, 185
 Williams, A. B., 53–61
 & H. J. Porter, 26–32

 X
Xiphophorus maculatus, 223

 Y
 Yellow perch, 47–48, 270–273
 fecundity, 270–273

 Z
 Zoea
 Callinectes sapidus, 54–55
 Libinia dubia, 18–25
 Rhithropanopeus harrissii, 58–59
Zizania aquatica, 181
Zostera, 165
 marina, 27, 121
 Zorach, T., 254–263